PW FORM Patent a	partment PAT-1449 nd Trade	of Commerce mark Office	MA'		ZOLO S	1		Atty. Dkt. No.	M#				Client	Ref.		
		. /	MA 3			7		1	037	003-0307430			1991-3	30-00	D20CP3C	:3
NFORMATI	ION DISC	. \{\text{CLOSURE STATE}	WER	MOEMA	RKS			Applicant:		YCHAUDHURI	et a	al.				
BY APPLIC	ANT							Apple No	. 40	7742 200						
								Appln. No		27743,398 Ecember 23, 20)3 —					\dashv
Date: May 2	1. 2004		Page	1 of 3	 }			Irimiy Dati	8. DE	Examiner: Una	دن فون	CUDA(1 //	Gr	oup Art U	Init
						The same of the same							H:11		1653 /	648
J.S. PATEN	T DOCU	MENTS														
Examiner's	s Document		į.			Name				Class		Sub		Filing Da	ite	
nitials Number		Number	ļ	MM/YYYY		(Family Name o		of First Inventor)		1			Class		if	
MA	AR	3,083,142		03/19		How	ofi				-		-		appropri	iate
41.11	BR	3,790,665		1		Glass				 		1		 		
	CR	3,919,411		11/19		Glas					\dagger		1		Η	\dashv
•	DR	4,053,585		05/19		Allis				-	1		\vdash		H	ᆨ
•	ER	4,117,113		11/19		Allis					H		\vdash			
•	FR	4,770,874 4,772,466 4,778,784 4,877,611 4,963,354 5,114,708		09/1988 09;/1988 10/1988		Allison Allison Dreesman										
•	GR															
•	HR											1				
	IR					Cantrell										
*	JR			06/1990		Sher	pard									
	KR			05/1992		Hunter										
	LR	5,234,683		08/1993		Hunter										
•	MR	5,585,103		12/1996 F		Raychaudhuri										
•	NR	5,695,770				Raychaudhuri				丰						
- (1)	OR	5,709,860		T- T		Raychaudhuri				1		lacksquare				
•V	PR	6,270,769	(08/200	1	Ray	haaudhuri					\ 				
FOREIGN P	ATENT D	OCUMENTS										_	glish		Translati	ion
		Document	Date			try	Inventor Na	ame				Ab	stract		Readily Available	
		Number	MM/	YYYY								_				_
KNIZ							\ 					En	closed	No	Enclose	No
WK	QR	0135376	03/18		EP		\					+-		-		+
	RR	†	2/198		EP							╄				+-
	SR	0382271	08/19		EP		\ -	***			-	╁		-		+-
	TR	0399843	11/18		EP							┿			 	_
•	UR	 	8/199		EP							+				+
* \	VR	0451216 B1	10/19		EP			$\overline{}$				┿		 	 	+
* \	WR	0460674A2	12/19		EP							┿		 		+
* \	XR	0682040 A1	11/19		EP							┼			 	┼
	YR		4/198		PCT						-	+-		\vdash	 	+-
	ZR	WO 90/14837	12/19		PCT						_	-		_		┿
•	AAR	WO 92/06113	Apr 1	992	PCT		Van Wijne	ndale et al.				×		_	×	\perp
•	BBR	WO 92/11291	Jul 1		PCT		Van Wijne					×		lacksquare	x	┷
	CCR	WO 92/16231	Oct 1		PCT		Francotte			- · · · · · · · · · · · · · · · · · · ·		×		<u> </u>	x	╀
- 1	DDR	WO 99/13912 A			PCT	_	Braslawsk					4-		 		┼
• 0	EER	GB 9105992.3	Mar :	1991	GB		SmithKline	•				ΙX		ı	X	

my fill

3/17/15

References were cited and/or submitted during prosecution of U.S. Patent Nos.: 5,585,103 issued December 17, 1996; 6,270,769 issued August 7, 2001; 5,709,860 issued January 20, 1998; 5,695,770 issued December 9, 1997; 6,197,311 issued March 6, 2001; and U.S. Application No. 09/740,003, filed on December 20, 2000.

	ـــــــــــــــــــــــــــــــــــــ	ct the									
Acres RB, et al., "Vaccinia virus MUC1 Immunization of mice: immune response and protection against the growt of murine tumors bearing the MUC1 antigen," <i>J Immunother</i> , 1993, 14: 136-43.											
Allison AC, et al., "An adjuvant formulation that selectively elicits the formation of antibodies of protective isotype and of cell-mediated imjunity," <i>J Immunol Methods</i> , 1986, 95:157-68.											
Allison AC, et al., "Vaccines: recent trends and progress," Immunol Today, 1990, 11: 427-9.											
Allison et al., Vaccines 87, Cold Spring harbor Laboratory (1987).											
Allison et al., Immunopharmacology of Infectious Diseases: Vaccine Adjuvants and modulators of Non-Specific Resistance, pp. 191-201, 1987.											
Allison, Immunopotentiation, Elsevier, Excerpta Medica, North-Holland, pp. 73-99, 1973.											
Allison, 1988, Technological Advances in Vaccine Development, pp. 401-409.											
Allison, "Non-Specific" Factors Influencing Host Resistance, pp. 247-258 (Karger, Basel 1973).											
Alwan WH, et al., "CD4+ T cells clear virus but augment disease in mice infected with respiratory syncytial virus Comparison with the effects of CD8+ T cells," Clin Exp Immunol, 1992, 88: 527-36.											
Asherson GL, et al., "Production of delayed hypersensitivity by antigen associated with peritoneal exudate cells and the effect of pretreatment with Freund's complete adjuvant," <i>Immunology</i> , 1972, 22: 465-73.											
Berman LD, et al., "Effects of Freund's adjuvant on adenovirus oncogenesis and antibody production in hamsters int J Cancer, 1967, 2: 539-43.											
Brugh M, et al., "Comparison of inactivated Newcastle disease viral vaccines containing different emulsion adjuvants," Am J Vet Res, 1983, 44: 72-5.											
Byars NE, et al., "Adjuvant formulation for use in vaccines to elicit both cell-mediated and humoral immunity," <i>Vaccine</i> , 1987, 5: 223-8.											
Byars NE, et al., "Enhancement of antibody responses to influenza B virus haemagglutinin by use of a new adjuvant formulation," <i>Vaccine</i> , 1990, 8: 49-56.											
Campbell MJ, et al., "Idiotype vaccination against murine B cell lymphoma. Humoral and cellular responses elicibly tumor-derived immunoglobulin M and its molecular subunits," <i>J Immunol</i> , 1987, 139: 2825-33.											
Campbell MJ, et al., "Idiotype vaccination against murine B cell lymphoma. Humoral and cellular requirements for the full expression of antitumor immunity," <i>J Immunol</i> , 1990, 145: 1029-36.											
Chemical and Physical Properties Emulsiflers, <i>Unique</i> , Paper FF/E/03-01/AMERI/14/500.											
Eppstein et al., Advanced Drug Deliver Reviews, 4;233-253, 1990. Ghossein RA, et al., 1995, "Detection of circulating tumor cells in patients with localized and metastatic prostat carcinoma: clinical implications," <i>J Clin Oncol.</i> , 13(5):1195.											
Goldstein et al., Chapter 4, mAbs To Human Lymphocyte Surface Antigens, p. 71. Harada, M. et al., 1994, "Generation of tumor-specific cytotoxic T lymphocytes in vivo by combined treatment w inactivated tumor cells and recombinant interleukin-2," Cancer Immunol Immunother., 38:332-338.											
Horiguchi Y, et al., 2002, "Screening of HLA-A24-restricted epitope peptides from prostate-specific membrane antigen that induce specific antitumor cytotoxic T lymphocytes," Clin Cancer Res, 8(12):3885-3892.											
Hunter R, et al., "Mechanisms of action of nonionic block copolymer adjuvants," Aids Research and Human Retroviruses, 1994, 10(2):595-8.											
Hunter R, et al., "The adjuvant activity of nonionic block polymer surfactants. I. The role of hydrophile-lipophle balance," <i>J Immunol.</i> , 1981, 127:1244-50.											
Hunter RL, et al., "The adjuvant activity of nonionic block polymer surfactants. II. Antibody formation and inflammation related to the structure of triblock and octablock copolymers," <i>J Immunol</i> , 1984, 133: 3167-75.											
Hunter R, et al., "Adjuvant activity of non-ionic block copolymers. IV. Effect of molecular weight and formulation on titre and isotype of antibody," Vaccine, 1991, 9:250-6.											
loannides C.G. and Whiteside T.L., 1993, "Short Analytical Review: T Cell Recognition of Human Tumors: Implications for Molecular Imunotherapy of Cancer," Clinical Immunology and Immunopathology, 66(2):91-108.											
Israeli RS, et al., 1993, "Molecular cloning of a complementary DNA encoding a prostate-specific membrane antigen," Cancer Res, 53(2):227-230.											
Kahn M, et al., "CD4+ T cell clones specific for the human p97 melanoma-associated antigen can eradicate pulmonary metastases from a murine tumor expressing the p97 antigen," <i>J Immunol.</i> , 1991, 146:3235-41.											
Kenney JS, et al., "Influence of adjuvants on the quantity, affinity, isotype and epitope specificity of murine antibodies," <i>J Immunol Methods</i> , 1989, 121: 157-66.											
Khusmith S, et al., "Protection against malaria by vaccination with sporozoite surface protein 2 plus CS protein,"											
			" Jpi								
•	same	same oi									

References were cited and/or submitted during prosecution of U.S. Patent Nos.! 5,585,103 issued December 17, 1996; 6,270,769 issued August 7, 2001; 5,709,860 issued January 20, 1998; 5,695,770 issued December 9, 1997; 6,197,311 issued March 6, 2001; and U.S. Application No. 09/740,003, filed on December 20, 2000.

. / W /	MMMR	Korstvedt, H. et al., 1984, Drug Cosmet Ind, 135, 36-37.							
M	NNNR	Kwak LW, et al., "Combined syngeneic bone marrow transplantation and immunotherapy of a murine B-cell lymphoma: active immunization with tumor-derived idiotypic immunoglobulin," Blood, 1990, 76: 2411-7.							
1	OOOR	Kwak et al., "Idiotype vaccination for patients with B-cell lymphoma," <i>Idiotype Networks in Bio and Med.</i> , 1990 Elsevier Sci. Pub. B.V., 163-171.							
	PPPR	Lee et al., Surfactant Effect on the Stability and Electroheological Properties of Polyaniline Particle Suspension, Jour. Of Colloid & Interface Science, 206, 424-438 (1998), CS985661.							
•	QQQR	Letvin et al., Vaccines 87, Cold Spring harbor Laboratory (1987).							
•	RRRR	Lidgate, D.M., et al., 1989, <i>Biopham</i> , 2:28-32.							
•	SSSR	Maa et al., "Performance of Sonication and Microfluidzation for Liquid-Kiquid Emulsification," <i>Phar. Dev & Tech.</i> , 4(2), 233-240 (1999).							
•	TTTR	Mackewicz CE, et al., "CD8+ cell anti-HIV activity correlates with the clinical state of the infected individual," <i>J Clin</i> Invest, 1991, 87: 1462-6.							
+	UUUR	McLaughlin, JP, et al., 1996, "Improved Immunotherapy of a Recombinant Carcinoembryonic Antigen Vaccinia Vaccine When Given in Combination with Interleukin-2," Cancer Research, 56:2361-2367.							
•	VVVR	Mitchell MS, et al., "Active-specific immunotherapy for melanoma," J Clin Oncol, 1990, 8: 856-69.							
•	WWWF	Morein et al., Immunological Adjuvants and Vaccines, Plenum Press, Published in cooperation with NATO Scient Affairs Division, pp. 153-161.							
*	XXXR	Morgan AJ, et al., "Validation of a first-generation Epstein-Barr virus vaccine preparation suitable for human use," J Med Virol, 1989, 29: 74-8.							
•	YYYR	Murphey-Corb M, et al., "A formalin-inactivated whole SIV vaccine confers protection in macaques," Science, 1989, 246: 1293-7.							
•	ZZZR	Nicholas JA, et al., "Cytotoxic T cell activity against the 22-kDa protein of human respiratory syncytial virus (RSV) is associated with a significant reduction in pulmonary RSV replication," <i>Virology</i> , 1991, 182: 664-72.							
•	AAAAR	Peace DJ, et al., "Induction of T cells specific for the mutated segment of oncogenic P21ras protein by immunization in vivo with the oncogenic protein," <i>J Immunother</i> , 1993, 14: 110-4.							
•	BBBBR	Phillips NC, et al., "Clinical evaluation of liposomal tumor antigen vaccines in patients with stage-III melanoma," Cancer Detect Prev, 1990, 14: 491-6.							
•		Rennie, Scientific American, Jul. 1991, p. 24.							
•		Rickman LS, et al., "Use of adjuvant containing mycobacterial cell-wall skeleton, monophosphoryl lipid A, and squalane in malaria circumsporozoite protein vaccine," <i>Lancet</i> , 1991, 337: 998-1001.							
•	EEEER	Sanchez-Pescador L, et al., "The effect of adjuvants on the efficacy of a recombinant herpes simplex virus glycoprotein vaccine," <i>J Immunol</i> , 1988, 141: 1720-7.							
•	FFFFR	Sanda MG, et al., "Molecular characterization of defective antigen processing in human prostate cancer," J Natl Cancer Inst, 1995, 87: 280-5.							
•		Shen L, et al., "Recombinant virus vaccine-induced SIV-specific CD8+ cytotoxic T lymphocytes," <i>Science</i> , 1991, 252: 440-3.							
•		Staerz UD, et al., "Cytotoxic T lymphocytes against a soluble protein," Nature, 1987, 329: 449-51.							
	IIIIR	Stover CK, et al., "New use of BCG for recombinant vaccines," Nature, 1991, 351: 456-60.							
	JJJJR	Takahashi H, et al., "An immunodominant epitope of the human immunodeficiency virus envelope glycoprotein gp160 recognized by class I major histocompatibility complex molecule-restricted murine cytotoxic T lymphocytes <i>Proc Natl Acad Sci U S A</i> , 1988, 85: 3105-9.							
•	KKKKR	Takahashi H, et al., "Induction of CD8+ cytotoxic T cells by immunization with purified HIV-1 envelope protein in ISCOMs," <i>Nature</i> , 1990, 344: 873-5.							
•	LLLLR	Takayama K, et al., "Adjuvant activity of non-ionic block copolymers. V. Modulation of antibody isotype by popolysaccharides, lipid A and precursors," <i>Vaccine</i> , 1991, 9: 257-65.							
•	ММММ	Tsang, D.Y., et al., 1995, "Generation of Human Cytotoxic T Cells Specific for Human Carcinoembryonic Antigen Epitopes From patients Immunized with Recombinant Vaccinia-CEA Vaccine," <i>J of the Nat'l Cancer Inst.</i> , 87(13):982.							
•	NNNNF	WALKER et al., "Priming of Cytotoxic T Lymphocyte Responses with Recombinant HIV Envelope Proteins in Murine and Primate Models," Humhama Colloque Des Cent Gardes, 1993, 321-325.							
•	00001	Wraith DC, et al., "Induction of influenza A virus cross-reactive cytotoxic T cells by a nucleoprotein/ haemaggluting preparation," J Gen Virol, 1985, 66 (Pt 6): 1327-31.							
• \	PPPPR	Xue, BH, et al., 1997, "Induction of human cytotoxic T lymphocytes specific for prostate-specific antigen," <i>Prostat</i> 30(2):73-78.							
	0000	Yin et al., 1993, Leukemia 7 Suppl 2 527-30.							
xamin	er ()	Date Considered:							
KG I I I I I	_ //	1 (1111V)							

References were cited and/or submitted during prosecution of U.S. Patent Nos.: 5,585,103 issued December 17, 1996; 6,270,769 issued August 7, 2001; 5,709,860 issued January 20, 1998; 5,695,770 issued December 9, 1997; 6,197,311 issued March 6, 2001; and U.S. Application No. 09/740,003, filed on December 20, 2000.